





MAIN FEATURES	4
TENDY 200 / 240	7
AIRDECK 250 / 300 / 320	9
SPORT 250 / 300 / 320	11
SPORT HD 365 / 420 / 470	13
ALU-RIB 270 / 290	15
ALU-RIB 320 / 350 / 380 / 420	
ALU-RIB HYPALON 320 / 350	19
RANGES OVERVIEW	22
SPECIFICATIONS	24
CONSOLES	26
OPTIONAL EQUIPMENTS	28
ACCESSORIES	30
WISH LIST	32
POWERED BY MERCURY	34









endy. Light, compact and reliable. The most practical for beaching!

- 0.7 mm White PVC
- Large black rubbing strake
- Air Floor or Slatted Floor
- Large adjustable nylon strap for holding fuel tank (Air Floor models)
- Inflatable keel for better performance (Air Floor models)
- ≪ Keel protection (Air Floor models)
- ♦ Tow D-rings
- External lifeline
- Carrying bag
- ♦ Double action hand-pump
- Repair-kit (without glue)
- Aluminium oars

	AIR FI	LOOR	SLATTED FLOOR		
TENDY	200	240	200	240	
Length (m)	2.0	2.4	2.0	2.4	
Weight (kg)	16.8	18.8	21.8	23.8	
Max. persons	2	3	2+1	- 3	
Max. hp	3.5	4	3.5	4-7	
Packing size (cm) 93×47×20	98×48×25	93×47×20	98×48×25	











TENDY 200/240

QUICKSILVER

200 TENDY

Slatted Floor

Air Floor



irDeck. Luxury and spacious tender for your boat!



- Large blue and white rubbing strake
- AirDeck inflatable floor
- Starge adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- ≪ Keel protection
- Tow D-rings
- S External lifeline
- Multiple carrying handles
- Carrying bag
- Double action hand-pump
- Aluminium oars

AIRDECK	250	300	320
Length (m)	2.49	3.00	3.20
Weight (kg)	28	37	42
Max. persons	Z+1-	4	5
Max. hp	5	15	20
Packing size (cm)	100x54x25	102x55x24	108×57×25











AIRDECK250/300/320 QUICKSILVER **300 AIRDECK** Air Floor Carrying handles

port. Powerful and compact, they will take you on adventure!



- Large black and white rubbing strake
- Adjustable bench seat
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- ≪ Keel protection
- Tow D-rings
- S External lifeline
- Multiple carrying handles
- Carrying bag
- ♦ Double action hand-pump
- ♦ Aluminium oars

SPORT	250	300	320
Length (m)	2.49	3.00	3.20
Weight (kg)	35	49	54
Max. persons	3+1	4	5
Max. hp	8	15	20
Packing size (cm)	98×57×22	115×57×22	113×60×25









Medium Grey

SPORT 250/300/320



Aluminium Floor

port HD. The perfect companion for fishing and diving fans!

- ♦ 1.2 mm Medium Grey or Red PVC
- Large black and red rubbing strake
- ♦ Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- ≪ Keel protection
- Reinforced tow D-rings
- S External lifeline
- Multiple carrying handles
- Carrying bag
- Double action hand-pump
- ♦ Repair-kit (without glue)
- Aluminium paddles

SPORT HD	365	420	470
Length (m)	3.65	4.20	4.70
Weight (kg)	79	115	129
Max. persons	6	8	10
Max. hp	25	40	60
Packing size (cm)	135×74×40	135×74×43	135x74x46











SPORT HD 365/420/470









LU-RIB. Luxury and spacious tender for your boat!

- O.9 mm white PVC and 2.5 mm hull or 0.9 mm dark grey PVC and 2.5 mm hull
- Large black or dark-blue rubbing strake with white striping
- Adjustable bench seat
- ♦ V-floor
- ♦ Anti-skid pads floor
- ≪ Keel protection
- External lifeline
- Reinforced tow D-rings
- Multiple carrying handles
- Double action hand-pump
- Repair-kit (without glue)
- ♦ Aluminium oars

ALU-RIB PVC	270	290
Length (m)	2.70	2.90
Weight (kg)	38	41
Max. persons	3	4
Max. hp	10	15











ALU-RIB 270/290





LU-RIB. Comfortable and stable in all weather conditions!

- O.9 mm white PVC and 2.5 mm hull or 0.9 mm dark grey PVC and 2.5 mm hull
- Strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- S External lifeline
- Multiple carrying handles
- ≪ Keel protection
- Double action hand-pump
- ♦ Repair-kit (without glue)
- Aluminium oars or paddles

ALU-RIB PVC	320	350	380	420
Length (m)	3.2	3.5	3.8	4.2
Weight (kg)	61.3	69	92	115
Max. persons	5	6	7	8
Max. hp	20	25	30	40









Dark Grey

ALU-RIB 320/350/380/420





LU-RIB Hypalon. Premium companion for warmer climates!

- ♦ 0.84 mm cream white hypalon and white 2.5 mm hull
- Large dark-blue rubbing strake with white striping
- Ouble Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Teak-look anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Reinforced Tow D-rings
- Sexternal lifeline
- Multiple Hypalon carrying handles
- ≪ Keel protection
- Double action hand-pump
- Aluminium paddles
- Bravo overpressure relief valve

ALU-RIB Hypalon	320	350
Length (m)	3.2	3.5
Weight (kg)	66.3	73.4
Max. persons	5	6
Max. hp	20	25










Cream White

ALU-RIB Hypalon 320/350

Rulickally and a state of the s







RANGES OVERVIEW







SPORT 250 / 300 / 320



ALU-RIB 270 / 290 / 320



SPECIFICATIONS

	MODELS	FLOOR	DESIGN CATEGORY	LENGTH (M)	BEAM (CM)	WEIGHT (KG)	PERSONS CAPACITY
	200 TENDY	Slatted floor	D	2.00	134	21.8	2
TENDY	200 TENDI	Air Floor	D	2.00	134	16.8	2+1
TENDI	240 TENDY	Slatted floor	D	2.40	134	23.8	3
	240 IENDI	Air Floor	D	2.40	134	18.8	3
	250 AIRDECK	Air Floor	D	2.49	152	28	3+1
AIRDECK	300 AIRDECK	Air Floor	С	3.00	152	37	4
	320 AIRDECK	Air Floor	С	3.20	152	42	5
	250 SPORT	Aluminium	D	2.49	152	35	3+1
	300 SPORT	Aluminium	С	3.00	152	49	4
SPORT	320 SPORT	Aluminium	С	3.20	152	54	5
SPORT	365 SPORT HD	Aluminium	С	3.65	170	79	6
	420 SPORT HD	Aluminium	С	4.20	192	115	8
	470 SPORT HD	Aluminium	С	4.70	192	129	10
	270 ALU-RIB	V-floor	D	2.70	163	38	3
	290 ALU-RIB	V-floor	D	2.90	163	41	4
ALU-RIB	320 ALU-RIB	Aluminium	С	3.20	163	61.3	5
PVC	350 ALU-RIB	Aluminium	С	3.50	163	69	6
	380 ALU-RIB	Aluminium	С	3.80	169	92	7
	420 ALU-RIB	Aluminium	С	4.20	169	115	8
ALU-RIB	320 ALU-RIB	Aluminium	С	3.20	163	66.3	5
Hypalon	350 ALU-RIB	Aluminium	С	3.50	163	73.4	6

MAX. CAPACITY LOAD (KG)	MAX. ENGINE WEIGHT (KG)	MAXI. POWER (HP)	TUBE DIAMETER (CM)	NUMBER OF AIR CHAMBERS	TRANSOM HEIGHT	COLOURS
330	20	3.5	36	3	S	D
330	20	3.5	36	3+Keel+Floor	S	D
360	25	4	36	3	S	D
390	25	4	36	3+Keel+Floor	S	D
400	35	5	42	3+Keel+Floor	S	D
425	50	15	42	3+Keel+Floor	S	D
475	60	20	42	3+Keel+Floor	S	D
400	40	8	42	3+Keel	S	D
425	50	15	42	3+Keel	S	D
475	60	20	42	3+Keel	S	D
725	80	25	44	3+Keel	S	DD
1100	100	40	50	3+Keel	L	
1300	125	60	Medjigm Grey	5+Keel	L	
370	45	10	42	3	S	
480	50	15	42	3	S	
570	60	20	42	3	S	
680	80	25	42	3	S	DD
740	90	30	45	3	S	DD
1100	100	40	45	4	S	DD
570	60	20	42	3	S	D
680	80	25	42	3	S	

Medium Grey

Cream White

White

Dark Grey

25

Red

CONSOLES



1-PERSON PILOT CONSOLE FCT725



2-PERSON
PILOT CONSOLE
FCT880



JOCKEY CONSOLE SU400

CONSOLE COLORS						
PART NUMBERS	8M0162901	8M0162900	8M0162903	8M0162902	8M0162905	8M0162904
CUSHION COLORS	• •		• •		• •	
San Carlotte Control of the Control			- 19 July 1	1		
NO. PERSONS	1	ı	:	2		
CONSOLE WEIGHT	25	kg	27	kg	25	kg
CONSOLE LENGTH	NSOLE LENGTH 91.5 cm 95 cm		cm	116	cm	
CONSOLE HEIGHT	82	cm	85	cm	91cm	
CUSHION SEAT WIDTH	72.5 cm		88 cm		27 cm	
BOX SEAT WIDTH	72.5	72.5 cm		72.5cm		cm
SEAT HEIGHT	50 cm		50 cm		40	cm
这种是一种的一种,但是一种的一种的一种的一种的一种的一种的一种的一种的一种的一种的一种的一种的一种的一	and the same of th	-	THE PARTY OF		12750	1000
QUICKSILVER 320 ALU-RIB	•		•			
QUICKSILVER 350 ALU-RIB	•		•			
QUICKSILVER 380 ALU-RIB	•		•			
QUICKSILVER 420 ALU-RIB	•				•	
	PART NUMBERS CUSHION COLORS NO. PERSONS CONSOLE WEIGHT CONSOLE LENGTH CONSOLE HEIGHT CUSHION SEAT WIDTH BOX SEAT WIDTH SEAT HEIGHT QUICKSILVER 320 ALU-RIB QUICKSILVER 350 ALU-RIB	PART NUMBERS 8M0162901 CUSHION COLORS NO. PERSONS CONSOLE WEIGHT 25 CONSOLE LENGTH 91.5 CONSOLE HEIGHT 82 CUSHION SEAT WIDTH 72.5 BOX SEAT WIDTH 72.5 SEAT HEIGHT 50 QUICKSILVER 320 ALU-RIB QUICKSILVER 350 ALU-RIB QUICKSILVER 380 ALU-RIB	PART NUMBERS SM0162901 CUSHION COLORS NO. PERSONS CONSOLE WEIGHT CONSOLE LENGTH CONSOLE HEIGHT CUSHION SEAT WIDTH BOX SEAT WIDTH SEAT HEIGHT GUICKSILVER 320 ALU-RIB QUICKSILVER 350 ALU-RIB QUICKSILVER 380 ALU-RIB QUICKSILVER 380 ALU-RIB	PART NUMBERS 8M0162901 8M0162900 8M0162903 CUSHION COLORS ■ ■ ■ NO. PERSONS 1 2 CONSOLE WEIGHT 25kg 27 CONSOLE LENGTH 91.5 cm 95 CONSOLE HEIGHT 82 cm 85 CUSHION SEAT WIDTH 72.5 cm 88 BOX SEAT WIDTH 72.5 cm 72.5 cm SEAT HEIGHT 50 cm 50 QUICKSILVER 320 ALU-RIB ■ ■ QUICKSILVER 350 ALU-RIB ■ ■ QUICKSILVER 380 ALU-RIB ■ ■	PART NUMBERS 8M0162901 8M0162900 8M0162903 8M0162902 CUSHION COLORS 1 2 NO. PERSONS 1 2 CONSOLE WEIGHT 25kg 27kg CONSOLE LENGTH 91.5 cm 95 cm CONSOLE HEIGHT 82 cm 85 cm CUSHION SEAT WIDTH 72.5 cm 88 cm BOX SEAT WIDTH 72.5 cm 72.5 cm SEAT HEIGHT 50 cm 50 cm QUICKSILVER 320 ALU-RIB • • QUICKSILVER 350 ALU-RIB • • QUICKSILVER 380 ALU-RIB • •	PART NUMBERS 8M0162901 8M0162900 8M0162902 8M0162905 CUSHION COLORS ■ ● ■ ■ ● ■ ●









TEERING 1-PERSON
ONSOLE SEATBENCH FCT550
SU400 FOR STEERING CONSOLE

1-PERSON SEATBENCH FCT725 FOR STEERING CONSOLE

2-PERSON SEATBENCH FOTO:80 FOR STEERING CONSOLE

M0165076 8M0165061
2
20.7 kg
35 cm
83 cm
88 cm
72.5 cm
50 cm
•
•
•

OPTIONAL EQUIPMENTS



"LEATHER-LOOK" BOW CUSHION FOR ALU-RIBS

8M0162896 - Grey-white 8M0168455 - Black-grey



GREY SEATBAG WITH CUSHION

8M0162897 - 80x20 cm 8M0162898 - 85x20 cm 8M0162899 - 90x20 cm 8M0175528 - 105x20 cm 8M0175529 - 120x20 cm



ACCESSORIES





ELECTRICAL

Be seen and be safe with our Navigation light kit and protect your battery from water splashes.

FISHING

Enjoy your time on the water fishing with our selection of rod holders and folding net.









FUEL

Attwood Fuel tanks are perfect for use with any outboards and are easy to carry out for refuelling.

LIFEJACKET

The Mercury automatic lifejacket and the Quicksilver lifejackets have an ergonomic design and are lightweight.










MOORING

Attwood's folding anchors are ideal for inflatable boats and folds up easily for storage. Our Marine ropes offers high strenght-to-weight and meet the needs of any boater.



WISH LIST

PART NUMBER	DESCRIPTION	SPECIFICATIONS	YOUR SELECTION	
ELECTRICAL				
14196-7	Portable navigation light kit	352 x 184 x 267 mm		
9076-1	Power battery box	-		
9084-1	Vented battery box	381 x 398 x 247 mm		
9067-1	Vented battery box	352 x 184 x 267 mm		
FISHING				
12773-2	Folding net	Medium		
5017-6	Inflatable rod holder adapter plate	-		
5014-4	Black rod holder	-		
5010W4	White rod holder	-		
FUEL				
8803i2	Fuel tank without gauge	11.4L		
8806iG2	Fuel tank with gauge	23.7 L		
8812iG2	Fuel tank with gauge	45.5L		
93806UUS7	Universal fuel line kit	-		
11526-3	Strap set for fuel tank	12L and 23L		
11512-3	Strap set for fuel tank	46L		
LIFEJACKET				
20811279	Mercury automatic lifejacket junior	100N		
20811246	Quicksilver gulf lifejacket adult	100N		
20811247	Quicksilver gulf lifejacket adult (bag with 4pcs)	100N		
20811249	Mercury automatic lifejacket adult	165N		
MOORING				
11964-1	Grapnel folding anchor	1.36 kg		
11966-1	Grapnel folding anchor	2.26kg		
11968-1	Grapnel folding anchor	3.4kg		
77203004	Grapnel folding anchor	4kg		
77203006	Grapnel folding anchor	6kg		

PART NUMBER	DESCRIPTION	SPECIFICATIONS	YOUR SELECTION	
11711- <i>7</i>	Premium 3-strand twisted nylon dock line white	3m - Ø 10mm		
11706-7	Premium 3-strand twisted nylon dock line white	4,5 m - ∅ 12 mm		
11734-1	Premium twisted nylon anchorline white	30 m − Ø 10 mm		
11708-1	Premium twisted nylon anchorline white	45 m − Ø 10 mm		
	PUMP			
11596-2	Hand bilge pump	with hose 80cm		
SAFETY				
11830-2	Bailer safety kit	-		
79625102	2 steps inflatable boarding ladder	25 x 99 cm		
79625103	3 steps inflatable boarding ladder	25 x 110 cm		
79602103	3 steps rope ladder	29 x 11.5 cm		
79602104	4 steps rope ladder	29 x 14 cm		
11865-4	5 steps rope ladder	29 x 16.5 cm		
STORAGE				
11894-2	Heavy-duty dry bag	40L		
11897-2	Heavy-duty dry bag	20L		
85540174	Launching wheels stern mounting	-		
CLEANING PRODUCTS				
30102EU1	Inflatable boat cleaner and protectant	650 ml		
11807-2	2 in 1 telescopic brush kit with water on/off switch and boat hook attachment			
ENGINE				
9400-7	Hydro-stabilizer for outboards	50hp →		
9401-7	Hydro-stabilizer for outboards	→ 50hp		

POWERED BY MERCURY

EXPERIENCE THE BEST IN BOATING

When you rig your Quicksilver Inflatables boat with a Mercury Outboard, you're not just getting the best power available. You're getting an experienced team of boating enthusiasts who are dedicated to taking care of you. No matter how you want to use your boat fishing, cruising or just relaxing on a sunny day. Everyone at Mercury is here to make sure each minute you spend on the water is unforgettable.

2.5 - 6hp

BEING LIGHT AND AFFORDABLE ISN'T THE WHOLE STORY

For outboard engines in this horsepower range, portability is key and Mercury's 2.5 - 6 hp FourStrokes are among the lightest outboards in this class. Every Mercury portable FourStroke is packed full of features, such as our automatic reverse locking system to our convenient integral fuel tanks.

8-9.9hp

STILL THE LIGHTEST IN THEIR CLASS

Mercury's 8-9.9 hp FourStrokes are still the lightest in their class, but being lightweight doesn't mean cutting corners. Our 8-9.9 hp FourStrokes feature a convenient multifunction tiller handle that provides easy one-hand shifting operation.



15 - 20hp

GET MORE OF EVERYTHING

More power. More control. More comfort. The Mercury 20 hp and 15 hp FourStroke outboards are designed to improve every minute of your time on the water.

AMBIDEXTROUS TILLER

The centre-mounted tiller provides simple horizontal adjustment and reversible throttle grip rotation for port or starboard installation.



LOW END TORQUE

These 25 - 30 hp FourStrokes may be small on horsepower, but they're big on displacement. Featuring loads of strong, low end torque, these outboards have the power needed to get you up on plane with immediate throttle response and quick acceleration



MERCURY





The quality system of Brunswick Marine in EMEA is ISO 9001 certified © 2021 Brunswick Marine in EMEA. All Rights Reserved. Part #: 9M0101901

Brunswick Marine in EMEA continuously explores means to improve the products it designs, manufactures and distributes. Every effort is made to produce sales and service litreature which is current. Changes to specifications of engines, boats and accessories are ongoing.

This brochure should not be regarded as a precise guide to the latest specifications. This brochure is also not an offer for sales of any particular engine, boat or accessory. Distributors and dealers are not agents of Brunswick Marine in EMEA or one of its affiliates and they have no authority to bind Brunswick Marine in EMEA by any express undertaking or representation, including but not limited to representations of product, sales, applications or service nature.

Not all products are available in all countries and some are available only in limited quantities. Some products shown in this catalogue are equipped with optional accessories. Please see your local dealer.